

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	608	349/64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:02
L2	239	1 and diffus\$3 same transparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 21:07
L3	180	1 and diffus\$3 with transparent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 19:14
L4	184	1 and diffus\$3 with (transparent ITO)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:33
L5	45	4 and nm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 18:29
L6	15	1 and diffus\$3 with resistance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 18:50
L7	9	4 and thick\$4 adj4 nm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 18:29
L8	18	1 and diffus\$3 with (transparent adj conduc\$3 ito SnO? ato)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 18:42
L9	129	1 and diffus\$3 with backlight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 18:55
L10	22	9 and transparent adj (film substrate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 18:55
L11	8	1 and diffus\$3 with transparent adj conductive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 19:39
L12	0	1 and diffus\$3 with transparent adj conductive with thick\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 19:22
L13	0	1 and transparent adj conductive with thick\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 19:22

L14	14	1 and (transparent adj conductive ito) with thick\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 19:23
L15	2	1 and (transparent adj conductive ito) same electromagnetic adj4 shield\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 19:42
L16	1	15 and (ohm resistance nm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 19:44
L17	1	15 and thick\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 19:45
L18	4	1 and transparent adj4 thick\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 19:45
L19	160	349/59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:02
L20	108	19 and (thick\$4 nm ohm resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:59
L21	28	19 and (transparent adj conduct\$3 ito sno? ato) same (thick\$4 nm ohm resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:15
L22	15	19 and shield\$3 with (resistance resistivity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:21
L23	6	19 and electric\$2 adj4 (resistance resistivity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:22
L24	7	1 and electric\$2 adj4 (resistance resistivity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:24
L25	188	electromagnetic adj4 electric\$2 adj4 (resistance resistivity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 21:10
L26	3	25 and transparent adj conduct\$3 with thick\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:29

L27	2	electromagnetic adj4 electric\$2 adj4 (resistance resistivity) with ohm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:29
L28	17	25 and ohm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:30
L29	119	1 and (transparent ITO Sno? ato) with thick\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:35
L30	29	1 and (transparent adj conduct\$3 ITO Sno? ato) with thick\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:35
L31	31	19 and diffus\$3 same (thick\$4 nm ohm resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 20:59
L32	11	1 and diffus\$3 same electromagnetic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 21:07
L33	635	electromagnetic with transparent adj conduct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 21:11
L34	86	electromagnetic same transparent adj conduct\$3 with thick\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/11/27 21:11